


LEVEL 1 TEMPORARY EASEMENT TABULATION

Rather than generating R/W plan sheets, which wouldn't otherwise be necessary for a Level 1 ADA standalone project, this detail can be used to define temporary easements for the project.

The Remarks column should reflect any discussions between the right-of-way agent and the private property owner to follow these commitments through to construction.



RIGHT OF WAY TABULATIONS							B
CROSS STREET	REFERENCE POINT	CORNER LOCATION	TEMPORARY EASEMENT DIMENSIONS MEASURED FROM (1) & (2)				REMARKS
			A	B	C	D	
	T.H. 1						
5TH ST S (A)	00.217	SW	20	10	40	5	PROTECT SIGN
	00.217	SE	30	5	40	10	
	00.217	NW	20	10	50	5	
	00.217	NE	30	5	35	5	
4TH ST S (B)	00.280	SW	20	5	30	15	
	00.280	SE	30	5	25	5	PROTECT INPLACE RETAINING WALL
	00.280	NW	30	5	30	10	
2ND ST S (C)	00.280	NE	20	5	20	5	
	00.405	SW	45	5	20	5	
	00.405	SE	30	15	20	5	CLEAN CUT SPRINKLER & CAP ABOVE GROUND
CO RD 34 (D)	00.405	NW	30	5	40	5	
	00.405	NE	30	5	30	3	HOMEOWNER WILL REPLACE LANDSCAPING
	00.455	SW	40	5	35	5	
	00.455	SE	20	5	35	5	
	00.455	NW	50	3	30	5	
	00.455	NE	30	5	30	5	

- ① WHEN INTERSECTING WALK IS PRESENT
- ② WHEN NO INTERSECTING WALK IS PRESENT

DISTRICT #: INSERT DISTRICT NAME HERE
 IPLOT NAME: ROWTAB
 FILENAME: IP_PWP-d146403\ROWTAB.dgn
 PLOTTED/REVISED: 01-FEB-2013